



## Security Logs: Monitor Check Point security logs, created by the appliance

[? Help](#)

### ▼ Logs

Security Logs

System Logs

External Log Servers

Notifications

ination:162.211.27.195 ✕ 🔍



Refresh



Query Syntax



View Details




Clear Logs






Options ▼

Time	User	Blade	Interface	Action	Source	Destination	Service	Rule	Description
Today 20:40:49		Firewall	WAN	Accept	166.198.255.114	162.211.27.195	HTTP	16	Accepted on rul...
Today 20:40:49		Firewall	WAN	Accept	166.198.255.114	162.211.27.195	HTTP	16	Accepted on rul...


 Accepted on rule 16 (Incoming/Internal Default Policy)

[< Prev](#) [Next >](#)


### Log Info

Time	Today 20:40:49
Blade	 Firewall
Product Family	 Access
Type	 Connection

### Policy

Action	 Accept
Rule	16
Rule Name	Incoming/Internal Default Policy

### Traffic

Source	166.198.255.114
Destination	162.211.27.195
Service	HTTP
Interface Direction	 inbound
Protocol	TCP (6)
Destination Port	80
Source Port	19396

### More

Description	Accepted on rule 16 (Incoming/Internal Default Policy)
Inzone	External
Out-Zone	Internal
Service ID	HTTP
XlateDPort	0
XlateDst	192.168.1.10
XlateSport	27689
XlateSrc	162.211.27.195
NAT Rule Number	1
NAT Additional Rule Numb...	0

Server Type

Server Definitions

Access

NAT

Web Server

HTTP (80), HTTPS (443)

[Edit](#)

Mail Server

DNS Server

FTP Server

Citrix Server

PPTP Server

Other Server

 Apply

 Cancel

Server Type

Server Definitions

Access

NAT

Name:

ML110

IP address:

192.168.1.10

Comments:

 Allow DNS server to resolve this object name Exclude from DHCP service Reserve IP address in DHCP service for MAC

MAC address:

 Apply

✕ Cancel

Server Type

Server Definitions

Access

NAT

**This server is accessible from the following zones:**

- All zones (including the Internet)
- Only trusted zones (my organization)
- LAN
  - Remote Access VPN users
  - Remote VPN sites
  - DMZ
- Manually configure access policy to this server

**Ping to this server**

- Allow access to the server using ICMP (ping)

**Logging traffic to this server**

- Log blocked connections
- Log accepted connections

 Apply Cancel

Server Type

Server Definitions

Access

NAT

**NAT Settings** Hide Behind Gateway (Port Forwarding)

Traffic to the gateway's external IP address on the specified ports will be forwarded to this server

 Static NAT:

Traffic to the specified IP address and ports will be forwarded to this server

 Hide outgoing traffic from the server behind this IP address No NAT

The server's IP address is accessible from the Internet

 Redirect from port:

**i** Port translation is only available for a single-port server

**Advanced** Force translated traffic to return to the gateway

Allow access from internal networks to the external IP address of the server via local switch

 Apply Cancel